



Desktop Engraver
DE-3

Featuring laser-pointing technology, ethernet connectivity, automatic depth regulation and other intelligent enhancements, the DE-3 is the smartest, most intuitive desktop rotary engraver on the market.

| Specifications | | |
|--------------------------------------|---|--|
| Work Table Size | 12.0079 in x 9.05512 in (305 mm x 230 mm) | |
| Maximum Work Area (Work Envelope) | X: 12 in (305 mm) | |
| | Y: 9.1 in (230 mm) | |
| | Z: 1.6 in (40 mm) | |
| XYZ Axis Drive System | Stepper motor, 3-axis simultaneous control | |
| Operating Speed | XY Axis : 0.1~60 mm/sec. Z Axis : 0.1~30mm/sec. | |
| Software resolution | 0.01 mm/step | |
| Mechanical Resolution | XYZ Axis: 0.00125 mm/step | |
| Spindle Motor | Brushless DC Motor | |
| Spindle Speed | 5,000~20,000 rpm | |
| Tool Loading | Cutter Holder, Collet Type | |
| Maximum Material Thickness | 40 mm (38 mm when using the nose cone) | |
| Connection | USB | |
| | Ethernet (10 BASE-T/100 BASE-TX) | |
| Machine Language | RML-1 | |
| Power Supply | Voltage and Frequency | AC100V ± 10%, 50/60Hz (Overvoltage category: Category II, IEC60664-1) |
| | Rated Current | 1.0 A |
| Power Consumption | 80 W | |
| Operating Noise | While Operating: 60 dB (or less), Standby: 40 dB (or less) | |
| Machine Weight | 75 lbs (35 kg) | |
| Installation Environment | Indoor use, altitude: 2000 m or less Temperature 5 to 40°C, humidity 35 to 80% (no dew condensation) | |
| | Environment pollution degree: 2 | |
| Bundled Accessories | Power cord, power adapter, USB cable, nose cone unit (resin/metal components), nose unit set screw (fixing screw, spring), spare set screw (for cutter holder), Solid collet (ø 3.175 mm), spanner wrench, hex wrench, hex driver, adhesive sheet, dust collector adapter, DGSHAPE Software Package CD, Setup Guide | |

DGSHAPE by Roland

At the forefront of advanced machine manufacturing for 37-years, Roland continues to provide practical and reliable technology with unmatched service and support.

DGSHAPE by Roland further builds on this reliability promise by improving user experience with fast and effortless engraving machines, designed for those just starting out and for engraving experts looking for a more intuitive solution.

For detailed features and specifications visit rolanddga.com/DE-3



FOR MORE INFORMATION CALL 336-288-1613 OR VISIT WWW.JORLINK.COM
Jorlink USA, Inc. | Greensboro- NC USA



DE-3

Desktop Rotary Engraver

OVER 30 YEARS OF
ENGRAVING EXPERTISE

Roland continues to break new ground in rotary engraving with the DGSHAPE DE-3 that features laser-pointing technology, ethernet connectivity, automatic depth regulation and other intelligent enhancements.



by  Roland

Precise. Productive. Profitable.

Automated features offer a simplified set-up and operation to quickly and precisely engrave delicate and tough materials.



Fast Production

Advanced surface detection enables quick and simple set-up, while a 20,000 rpm DC brushless motor engraves at top speed.



Laser Pointer

Automatically define the origin point and view a path preview for accurate personalization and engraving every time.



User Replaceable Spindle

Easily-applied nose cones avoid scratches to delicate materials and deliver consistently precise results.



Ethernet Connection

Machine operation can be managed remotely—offering LAN network connectivity for multiple machine engraving.

Discover More Applications with DGSHAPE Engraving

Customize brass, aluminum, copper, engraving plastic, wooden items and more, with the speed, precision and ease of the powerful, compact DE-3.



Reliability and Support

As the world leader in desktop rotary engraving devices, Roland DG offers users unmatched product performance and reliability, backed by industry-leading service and support. The DE-3 comes with a comprehensive One-Year Trouble-Free Warranty.



Open Architecture and New Software

The DE-3 works out-of-the-box with popular engraving software, industry standard tools, and materials. It also features Dr. Engrave Plus software that offers new user advantages.



Supports AI files and standard graphic/vector data.



Import Excel and CSV files for nametags, serial numbers, and other variable data projects.



Enables standard engraving as well as surface levelling and hole drilling.



Handy Panel Control

Without the need for computer setup, users can store job data and perform machine operations.



*Optional vice shown

ENGRAVING

| Manuf. Part # | Description | Price |
|----------------|--|------------|
| ADA-BUNDLE-MAN | ADA Starter Kit for EGX-350 | \$4,100.00 |
| AS-10 | Adhesive Sheet Hold-down System (pack of 10) | \$39.99 |
| BT-125-010 | Burnish Tool, 1/8in shnkx4.5in lgthx.010in tip | \$17.49 |
| BT-125-015 | Burnish Tool, 1/8in shnkx4.5in lgthx.015in tip | \$17.49 |
| BT-125-030 | Burnish Tool, 1/8in shnkx4.5in lgthx.030in tip | \$17.49 |
| BT-171-015 | Burnish Tool, 11/64in shnkx6.5in lgthx.015in tip | \$23.99 |
| BT-171-030 | Burnish Tool, 11/64in shnkx6.5in lgthx.030in tip | \$23.99 |
| C2-125-010K | Carb. Engr Cutter, .010in, 1/8in Shank, W/Knob | \$19.49 |
| C2-125-015K | Carb. Engr Cutter, .015in, 1/8in Shank, W/Knob | \$19.49 |
| C2-125-030K | Carb. Engr Cutter, .030in, 1/8in Shank, W/Knob | \$19.49 |
| C2-125-060K | Carb. Engr Cutter, .060in, 1/8in Shank, W/Knob | \$19.49 |
| C2-125-090K | Carb. Engr Cutter, .090in, 1/8in Shank, W/Knob | \$19.49 |
| C2-125-125K | Carb. Engr Cutter, .125in, 1/8in Shank, W/Knob | \$19.49 |
| C2-125-DGK | Diamond Gravers, non-rotary, 1/8in shank, W/knob | \$24.99 |
| C2-125-KNOB | Threaded Brass Knob for 1/8in shank engr tools | \$4.29 |
| C2-171-010K | Carb. Tip Engr Cutter, .010in 11/64inShnk W/Knob | \$25.99 |
| C2-171-015K | Carb. Tip Engr Cutter, .015in 11/64inShnk W/Knob | \$25.99 |
| C2-171-030K | Carb. Tip Engr Cutter, .030in 11/64inShnk W/Knob | \$25.99 |
| C2-171-060K | Carb. Tip Engr Cutter, .060in 11/64inShnk W/Knob | \$25.99 |
| C2-171-090K | Carb. Tip Engr Cutter, .090in 11/64inShnk W/Knob | \$25.99 |
| C2-171-125K | Carb. Tip Engr Cutter, .125in 11/64inShnk W/Knob | \$25.99 |

| | | |
|---------------|--|----------|
| C2-171-171K | Carb. Tip Engr Cutter, .171in 11/64inShnk W/Knob | \$25.99 |
| C2-171-DGK | Diamond Gravers,non-rotary,11/64in shank, W/knob | \$27.99 |
| C2-171-KNOB | Threaded Brass Knob for 11/64in shank Engr tools | \$4.29 |
| HS-171-005K | Hi-Spd Steel Cutter 11/64inshnk 6.5in .005in tip | \$25.99 |
| HS-171-010K | Hi-Spd Steel Cutter 11/64inshnk 6.5in .010in tip | \$25.99 |
| HS-171-015K | Hi-Spd Steel Cutter 11/64inshnk 6.5in .015in tip | \$25.99 |
| HS-171-030K | Hi-Spd Steel Cutter 11/64inshnk 6.5in .030in tip | \$25.99 |
| MV-2 | Multipurpose Vise for EGX-300/350/360/400/600 | \$719.99 |
| PAR-125-060K | 0.060in Parallel Cutter, 1/8in Cut Depth | \$25.99 |
| PAR-171-060K | 0.060in Parallel Cutter,11/64in Shank,1/8in Depth | \$30.99 |
| US-CHIPSYS-C | Chip Extraction Sys. UltraQuiet, 1/2hp w/Accumulator | \$719.99 |
| US-ENGRVLAB-9 | EngraveLab Expert v9.0 for EGX | \$999.00 |
| US-FLTRBAG-A3 | Filter bag (3-pk) for chip removal system | \$43.99 |
| US-TL125-KIT | Engraving Tool Starter Kit, 1/8in tools with holder | \$113.99 |
| US-TL171-KIT | Engraving Tool Starter Kit, 11/64in tools w/holder | \$133.99 |
| ZTT-35 | T-Slot Table for EGX-350 | \$229.99 |
| ZV-23A | Vacuum table, PNC-2300 | \$199.99 |
| ZV-23C | Machine Vise, EGX-350 / EGX-300 | \$349.99 |